

# Vollee

SUSPENSION | 吊灯



Painted metal frame. LED Lighting.

这种灯具的结构是涂漆的金属。LED 照明。

FINISHINGS | 颜色


STANDARD



v95 Matt white





v90 Matt black





v99 Painted matt gold


STANDARD CABLES





|   |                         |  |
|---|-------------------------|--|
| <b>VOLLEE S1G</b>                       |                         | CE  |
| W                                       | 52 cm / 20.50"          |  |
| D                                       | 36 cm / 14.20"          |  |
| H                                       | 88 cm / 34.60"          |  |
| <b>STANDARD INTEGRATED LED LIGHTING</b> |                         |  |
|   | 7,5 W CRI>90            |  |
|   | 3000 K – 915 NOMINAL LM |  |
| <b>ON REQUEST</b>                       |                         |  |
|   | 7,5 W CRI>90            |  |
|   | 2700 K – 869 NOMINAL LM |  |
| <b>DIMMABLE</b>                         |                         |  |
|   | NO                      |  |



|   |                         |  |
|---|-------------------------|--|
| <b>VOLLEE S1P DOWN</b>                  |                         | CE  |
| W                                       | 25 cm / 9.80"           |  |
| D                                       | 17,5 cm / 6.90"         |  |
| H                                       | 44 cm / 17.30"          |  |
| <b>STANDARD INTEGRATED LED LIGHTING</b> |                         |  |
|   | 6,6 W CRI>90            |  |
|   | 3000 K – 825 NOMINAL LM |  |
| <b>ON REQUEST</b>                       |                         |  |
|   | 6,6 W CRI>90            |  |
|   | 2700 K – 783 NOMINAL LM |  |
| <b>DIMMABLE</b>                         |                         |  |
|   | NO                      |  |



|   |                         |  |
|---|-------------------------|--|
| <b>VOLLEE S1P UP</b>                    |                         | CE  |
| W                                       | 25 cm / 9.80"           |  |
| D                                       | 17,5 cm / 6.90"         |  |
| H                                       | 44 cm / 17.30"          |  |
| <b>STANDARD INTEGRATED LED LIGHTING</b> |                         |  |
|   | 6,6 W CRI>90            |  |
|   | 3000 K – 825 NOMINAL LM |  |
| <b>ON REQUEST</b>                       |                         |  |
|   | 6,6 W CRI>90            |  |
|   | 2700 K – 783 NOMINAL LM |  |
| <b>DIMMABLE</b>                         |                         |  |
|   | NO                      |  |



: for the US market, refer to the relevant price list.

VOLLEE C4 G



VOLLEE C2+2






VOLLEE C5 P




|   |
|---|
| STANDARD INTEGRATED LED LIGHTING          |
| 25,6 W CRI>90<br>3000 K – 3200 NOMINAL LM |
| ON REQUEST                                |
| 25,6 W CRI>90<br>2700 K – 3040 NOMINAL LM |
| DIMMABLE                                  |
| 1-10V + PUSH                              |

|   |
|---|
| STANDARD INTEGRATED LED LIGHTING          |
| 25,6 W CRI>90<br>3000 K – 3200 NOMINAL LM |
| ON REQUEST                                |
| 25,6 W CRI>90<br>2700 K – 3040 NOMINAL LM |
| DIMMABLE                                  |
| 1-10V + PUSH                              |


|   |
|---|
| STANDARD INTEGRATED LED LIGHTING        |
| 31 W CRI>90<br>3000 K – 3900 NOMINAL LM |
| ON REQUEST                              |
| 31 W CRI>90<br>2700 K – 3705 NOMINAL LM |
| DIMMABLE                                |
| 1-10V + DALI + PUSH                     |




SUGGESTED CONFIGURATION FOR C4 G




SUGGESTED CONFIGURATION FOR C 2+2



SUGGESTED CONFIGURATION FOR C5 P



SUGGESTED CONFIGURATION FOR C5 P X4



Ⓢ : for the US market, refer to the relevant price list.


**VOLLEE C2G LN 75** 


W 75 cm / 29.50"  
D 20 cm / 7.90"  
H MAX 240 cm / 94.50"

STANDARD INTEGRATED LED LIGHTING  
12,8 W CRI>90  
3000 K – 1600 NOMINAL LM

ON REQUEST  
12,8 W CRI>90  
2700 K – 1520 NOMINAL LM

DIMMABLE  
1-10V + PUSH




**VOLLEE C4P LN 125** 


W 125 cm / 49.20"  
D 20 cm / 7.90"  
H MAX 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
25,6 W CRI>90  
3000 K – 3200 NOMINAL LM

ON REQUEST  
25,6 W CRI>90  
2700 K – 3040 NOMINAL LM

DIMMABLE  
1-10V + PUSH




**VOLLEE C4G RD 60** 


ø 96 cm / 37.80"  
H 240 cm / 94.50"

STANDARD INTEGRATED LED LIGHTING  
25,6 W CRI>90  
3000 K – 3200 NOMINAL LM

ON REQUEST  
25,6 W CRI>90  
2700 K – 3040 NOMINAL LM

DIMMABLE  
1-10V + PUSH




**VOLLEE C4P RD 60** 


ø 60 cm / 23.60"  
H 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
25,6 W CRI>90  
3000 K – 3200 NOMINAL LM

ON REQUEST  
25,6 W CRI>90  
2700 K – 3040 NOMINAL LM

DIMMABLE  
1-10V + PUSH




**VOLLEE C8P RD 80** 

ø 80 cm / 31.50"  
H 200 cm / 78.70"

STANDARD INTEGRATED LED LIGHTING  
52,8 W CRI>90  
3000 K – 6600 NOMINAL LM


ON REQUEST  
52,8 W CRI>90  
2700 K – 6270 NOMINAL LM

DIMMABLE  
1-10V + DALI + PUSH




: for the US market, refer to the relevant price list.

## SINGLE CANOPY




| SIZE            | FRAME FINISHINGS  | CANOPY FINISHINGS | PRODUCT NAME        |
|-----------------|-------------------|-------------------|---------------------|
| Ø 25 cm / 9.80" | ● V95 ● V90 ● V99 | ● V91 + ● V98     | VOLLEE S1 P UP/DOWN |
| H 3 cm / 1.20"  |                   |                   | VOLLEE S1 G         |

## SINGLE CANOPY



| SIZE            | FRAME FINISHINGS  | CANOPY FINISHINGS | PRODUCT NAME |
|-----------------|-------------------|-------------------|--------------|
| Ø 18 cm / 7.10" | ● V95 ● V90 ● V99 | ● V91             | VOLLEE C4 G  |
| H 4 cm / 1.60"  |                   |                   | VOLLEE C2+2  |

## SINGLE CANOPY



| SIZE            | FRAME FINISHINGS  | CANOPY FINISHINGS | PRODUCT NAME |
|-----------------|-------------------|-------------------|--------------|
| Ø 18 cm / 7.10" | ● V95 ● V90 ● V99 | ● V91             | VOLLEE C5 P  |
| H 4 cm / 1.60"  |                   |                   |              |

LINEAR CANOPY LN 75

|  | SIZE             | FINISHINGS | PRODUCT NAME     |
|--|------------------|------------|------------------|
|  | W 75 cm / 29.50" | ● V98      | VOLLEE C2G LN 75 |
|  | D 20 cm / 7.90"  |            |                  |
|  | H 4 cm / 1.60"   |            |                  |
|  |                  |            |                  |

LINEAR CANOPY LN 125

|  | SIZE              | FINISHINGS | PRODUCT NAME      |
|--|-------------------|------------|-------------------|
|  | W 125 cm / 49.20" | ● V98      | VOLLEE C4P LN 125 |
|  | D 20 cm / 7.90"   |            |                   |
|  | H 4 cm / 1.60"    |            |                   |
|  |                   |            |                   |

ROUND CANOPY RD 60

|  | SIZE             | FINISHINGS | PRODUCT NAME     |
|--|------------------|------------|------------------|
|  | Ø 60 cm / 23.60" | ● V98      | VOLLEE C4P RD 60 |
|  | H 4 cm / 1.60"   |            |                  |
|  |                  |            |                  |
|  |                  |            |                  |

ROUND CANOPY RD 60

|  | SIZE             | FINISHINGS | PRODUCT NAME     |
|--|------------------|------------|------------------|
|  | Ø 60 cm / 23.60" | ● V98      | VOLLEE C4G RD 60 |
|  | H 4 cm / 1.60"   |            |                  |
|  |                  |            |                  |
|  |                  |            |                  |

ROUND CANOPY RD 80

|  | SIZE             | FINISHINGS | PRODUCT NAME     |
|--|------------------|------------|------------------|
|  | Ø 80 cm / 31.50" | ● V98      | VOLLEE C8P RD 80 |
|  | H 4 cm / 1.60"   |            |                  |
|  |                  |            |                  |
|  |                  |            |                  |