


Nappe

SUSPENSION | 吊灯
APPLIQUE | 壁灯




Painted metal frame with metal or Pyrex rods. Pyrex diffusers. Led Lighting.

这种灯具的结构是涂漆的金属，然而光扩散是小金属棒或玻璃做的。LED照明。

FINISHINGS | 颜色

STANDARD FRAME

TOTAL WHITE



v95 Matt white

TOTAL BLACK



v90 Matt Black

TOTAL COPPER



g29 Brushed copper

MIXED COLOURS



V95 + V21 + V51 + V72

MIXED WARM



V35 + V70 + V84

MATERIALS

METAL BEAMS



v93 Painted gold



g29 Brushed copper



v95 Matt white

DIFFUSER



Smoky Pyrex

NAPPE METAL DETAILS



g12 Brushed gold



g12 Brushed gold



g12 Brushed gold



g29 Brushed copper



g29 Brushed copper

NAPPE XL METAL DETAILS



f01 Gold leaf



f01 Gold leaf

STANDARD CABLES



WHEN SINGLE SUSPENSION (N-XL):
1 single cable*
(120 cm / 47.24")
with canopy




WHEN COMPOSITION (C3-C5-C10):
2 cables*
(160 cm / 62.99" each)
with connection spheres

*CABLES COLOR:
For V95 version the cable
color is white. For V90
and mixed colors the cable
color is black

NAPPE N0 

ø 7,5 cm / 3.00"
H 34 cm / 13.40"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N1 

ø 15 cm / 5.90"
H 36 cm / 14.20"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N2 

ø 15 cm / 5.90"
H 40 cm / 15.70"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N3 

ø 7,5 cm / 3.00"
H 36 cm / 14.20"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N4 

ø 7,5 cm / 3.00"
H 38 cm / 15.00"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO




NAPPE N5 

ø 15 cm / 5.90"
H 40 cm / 15.70"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N6 

ø 15 cm / 5.90"
H 32 cm / 12.60"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N7 

ø 7,5 cm / 3.00"
H 34 cm / 13.40"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LMC
DIMMABLE
NO



NAPPE N8 

ø 15 cm / 5.90"
H 39 cm / 15.40"


STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N9 

ø 7,5 cm / 3.00"
H 39 cm / 15.40"

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO




Ⓜ : for the US market, refer to the relevant price list.

NAPPE XL1 

∅ 30 cm / 11.80"
H 125 cm / 49.20"

STANDARD INTEGRATED LED LIGHTING	
UP	6,6 W CRI>90 3000 K - 1150 NOMINAL LM
DOWN	9,2 W CRI>90 3000 K - 1450 NOMINAL LM
ON REQUEST	
UP	6,6 W CRI>90 2700 K - 1092 NOMINAL LM
DOWN	9,2 W CRI>90 2700 K - 1370 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	



NAPPE XL2 

∅ 35 cm / 13.80"
H 135 cm / 53.10"

STANDARD INTEGRATED LED LIGHTING	
UP	6,6 W CRI>90 3000 K - 1150 NOMINAL LM
DOWN	9,2 W CRI>90 3000 K - 1450 NOMINAL LM
ON REQUEST	
UP	6,6 W CRI>90 2700 K - 1092 NOMINAL LM
DOWN	9,2 W CRI>90 2700 K - 1370 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	



NAPPE XL3 

∅ 30 cm / 11.80"
H 110 cm / 43.30"

STANDARD INTEGRATED LED LIGHTING	
	12,2 W CRI>90 3000 K - 2000 NOMINAL LM
ON REQUEST	
	12,2 W CRI>90 2700 K - 1900 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	




Ⓜ : for the US market, refer to the relevant price list.

NAPPE C3




STANDARD INTEGRATED LED LIGHTING
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM
ON REQUEST
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM
DIMMABLE
1-10V + PUSH



NAPPE C5




STANDARD INTEGRATED LED LIGHTING
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM
ON REQUEST
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM
DIMMABLE
1-10V + PUSH






NAPPE C10






STANDARD INTEGRATED LED LIGHTING
10 × 54 W CRI>90 3000 K - 6880 NOMINAL LM
ON REQUEST
10 × 54 W CRI>90 2700 K - 6536 NOMINAL LM
DIMMABLE
1-10V + PUSH + DALI






SUGGESTED CONFIGURATION FOR C3



SUGGESTED CONFIGURATION FOR C5




SUGGESTED CONFIGURATION FOR C10




☎ : for the US market, refer to the relevant price list.


NAPPE C3 LN 75 


W	75 cm / 29.50"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	




NAPPE C3 LN 125 


W	125 cm / 49.20"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	




NAPPE C5 LN 175 

W	175 cm / 68.90"
D	20 cm / 7.90"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM	
ON REQUEST	
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	




NAPPE C3 RD 40 


∅	40 cm / 15.70"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	




NAPPE C3 RD 60 

∅	60 cm / 23.60"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM	
ON REQUEST	
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	



NAPPE C5 RD 80 

∅	80 cm / 31.50"
H MAX	155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING	
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM	
ON REQUEST	
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM	
DIMMABLE	
1-10V + PUSH	



: for the US market, refer to the relevant price list.


NAPPE APP N4 

W	7,5 cm / 3.00"
D	14 cm / 5.50"
H	40 cm / 15.70"

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	

ON REQUEST	
5,4 W CRI>90	
2700 K - 653 NOMINAL LM	

DIMMABLE	
NO	




NAPPE APP N2 

W	15 cm / 5.90"
D	18 cm / 7.10"
H	42 cm / 16.50"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	
3000 K - 688 NOMINAL LM	

ON REQUEST	
5,4 W CRI>90	
2700 K - 653 NOMINAL LM	

DIMMABLE	
NO	




SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø	10 cm / 3.90"	● V95	● G12	NAPPE N0-N1-N2-N3-N4
H	5 cm / 2.00"	● V72 ● V51 ● V21 ● V95	● G12	N5-N6-N7-N8-N9
		● V90	● G12	
		● V35 ● V70 ● V84	● G12	
		● G29	● G29	

SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø	22,5 cm / 8.90"	● V95	● F01	NAPPE XL1 - XL2 - XL3
H	6 cm / 2.40"	● V90	● F01	NAPPE XL1 - XL2 - XL3
		● V35 ● V70 ● V84	● F01	NAPPE XL1 - XL2 - XL3
		● V72 ● V51 ● V21 ● V95	● V95	NAPPE XL1
		● V72 ● V51 ● V21 ● V95	● V72	NAPPE XL2
		● V72 ● V51 ● V21 ● V95	● V51	NAPPE XL3

LINEAR CANOPY LN 75

	SIZE	FINISHINGS	PRODUCT NAME
	W	75 cm / 29.50"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

LINEAR CANOPY LN 125

	SIZE	FINISHINGS	PRODUCT NAME
	W	125 cm / 49.20"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

LINEAR CANOPY LN 175

	SIZE	FINISHINGS	PRODUCT NAME
	W	175 cm / 68.90"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	

ROUND CANOPY RD 40

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	40 cm / 15.70"	● V98
	H	4 cm / 1.60"	

ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	60 cm / 23.60"	● V98
	H	4 cm / 1.60"	

ROUND CANOPY RD 80

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	80 cm / 31.50"	● V98
	H	4 cm / 1.60"	